

3M

ReMount™ Adhesive

Product Data Sheet

Updated : February 1997
Supersedes : February 1996

Product Description

3M ReMount™ is a non permanent adhesive that allows removal and repositioning many times without the need for respraying. It bonds lightweight paper, card and fabric securely to themselves and many smooth surfaces.

It is ideal for decorative stencilling, making collages, sticking posters to internal walls as well as many other creative applications.

The controlled spray action greatly reduces adhesive mist.

Physical Properties

Not for specification purposes

Solvent	Isohexane, Acetone	
Flash Point	-46°C (propellant)	
Propellant	Hydrocarbon	
Contents	400 ml (254g)	
Spray Pattern	Particle	
Colour	Translucent/Clear	
Shelf Life	12 months from date of receipt by customer when stored in the original carton at 21°C (70°F) & 50 % Relative Humidity	

Additional Product Information

Does not contribute to ozone depletion.

Date : February 1997
3M ReMount™ Adhesive

Storage Conditions

Cool dry place. Best results are obtained when material is stored and applied at room temperature 16 to 27°C. Storage temperature must not exceed 49°C.

Directions for Use

Test before use on new applications.

Ensure all surfaces to be bonded are clean, dry and free from dust, oil and grease before application of adhesive.

Ensure that the nozzle points away from all persons and towards the surface to be sprayed. Turn the spray tip to select the desired spray width.

Shake can well before using, 5-10 seconds should be sufficient.

Hold the container 15 to 20 cms from the surface and apply evenly to cover the entire area.

To prevent nozzle from blocking, at the end of each day turn the can upside down and press the tip until spray is clear from adhesive, and wipe tip.

Clean Up:

Spray nozzle or excess adhesive may be cleaned with white spirits.

NOTE: When using solvents for clean up, it is essential that proper safety precautions are observed.

Health and Safety Information

For further information please contact our Product Responsibility/ Toxicology Department.

Please insert local address and phone number. Source: A:RM1.doc

Values presented have been determined by standard test methods and are values not to be used for specification purposes. Our recommendations on the use of our products are based on test believed to be reliable but we would ask that you conduct your own test to determine their suitability for your applications. This because 3M cannot accept any responsibility or liability direct or consequential for loss or damage caused as a result of our recommendations.

3M™ ReMount Adhesive

Suggested Catalogue Copy

A non-permanent adhesive that you can remove and re-stick many times without re-spraying. It does not alter the original and securely holds lightweight paper and fabric to many smooth surfaces. Ideal for sticking posters or pictures to a wall.

Size:		
Can	400ml	200ml
Case Quantity	12 cans	12 cans
Euro Pallet Quantity	60 cases	120 cases
Dimensions & Weight:		
Can		
Length	65mm	52mm
Width	65mm	52mm
Height	200mm	173mm
Weight	363 grams	182 grams
Case		
Length	273mm	218mm
Width	210mm	166mm
Height	210mm	185mm
Weight	4.5 kilos	2.3 kilos
Euro Pallet		
Length	1200mm	1200mm
Width	800mm	800mm
Height	900mm	1079mm
Weight	293 kilos	299 kilos

Bar Codes

Can

No change. Insert specific bar code attached

Case

No change. Insert specific bar code attached

Price

Insert local dealer prices

Source: A:RMCOPY.WD6